

# ColourPlay

Commercial Carpet Tile Collection



COLOURPLAY



STANDARD  
CARPETS



COLOURPLAY

# Colourplay

“COLOURPLAY” by Standard Carpets is a state-of-the-art tufting technology designed to deliver high-definition patterns with exceptional precision and durability. Unlike traditional methods, the colourplay system maintains full gauge across the entire carpet surface, ensuring denser construction and consistent wear over time. It enables up to six colours in a single design without compromising clarity, making it ideal for intricate patterns and bold aesthetics in hospitality and commercial interiors. The use of solution-dyed nylon ensures long-lasting performance, superior stain resistance, and colour fastness even in high-traction zones.





# ATMOS

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 3 colours

Installation Method



Quarter Turn



Brick

# ATMOS

COLOURPLAY




ATMOS 771

## Specifications




| Description              | ATMOS Carpet Tile                                   |
|--------------------------|-----------------------------------------------------|
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>biolooop</b> ™ Nylon                             |
| Dye Method               | Solution Dyed                                       |
| Face Weight              | 750 g/m² / 22 oz/yd²                                |
| Product Density          | 228520/m²                                           |
| Number of Colours        | 3 Colours                                           |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 3.5 mm ±0.5 mm                                      |
| Total Product Height     | 7.5 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn or Brick                               |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 104 cm x 106 cm       |



**Atmos 771**



**Atmos 774**



**Atmos 777**



**Atmos 775**



**Atmos 776**



**Atmos 748**



**Atmos 779**



**Atmos 745**



# ATMOSPHERE

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 3 Colours

Installation Method



Quarter Turn



Brick

# ATMOSPHERE

COLOURPLAY



ATMOSPHERE 8400

## Specifications

| Description              | ATMOSPHERE Carpet Tile                              |
|--------------------------|-----------------------------------------------------|
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>bioloop</b> ™ Nylon                              |
| Dye Method               | Solution Dyed                                       |
| Face Weight              | 750 g/m² / 22 oz/yd²                                |
| Product Density          | 181240/m²                                           |
| Number of Colours        | 3 Colours                                           |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 3.0 mm ±0.5 mm                                      |
| Total Product Height     | 7.0 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn or Brick                               |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 105 cm x 109 cm       |





Atmosphere 8400



Atmosphere 8422



Atmosphere 8411



Atmosphere 8633



Atmosphere 8700



Atmosphere 8900



Atmosphere 8755



Atmosphere 8766



# AVALANCHE

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 3 colours

Installation Method



Quarter Turn



Brick

# AVALANCHE

COLOURPLAY




AVALANCHE 776

## Specifications



| Description              | AVALANCHE Carpet Tile                               |
|--------------------------|-----------------------------------------------------|
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>biolooop</b> ™ Nylon                             |
| Dye Method               | Solution Dyed                                       |
| Face Weight              | 750 g/m² / 22 oz/yd²                                |
| Product Density          | 177300/m²                                           |
| Number of Colours        | 3 Colours                                           |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 3.5 mm ±0.5 mm                                      |
| Total Product Height     | 7.5 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn or Brick                               |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 205 cm x 263 cm       |




**Avalanche 765**



**Avalanche 768**



**Avalanche 726**



**Avalanche 729**



**Avalanche 745**



**Avalanche 748**



**Avalanche 776**




**Avalanche 779**




**Avalanche 735**



**Avalanche 754**



**Avalanche 751**



**Avalanche 757**



**Avalanche 775**



**Avalanche 774**



**Avalanche 771**




**Avalanche 777**




# BOHO

Colourplay Carpet Tile | SD Nylon | 100x25 cms | 3 & 4 Colours


Installation Method



Ashlar



Quarter Turn



Herringbone



Specifications



|                          |                                                     |
|--------------------------|-----------------------------------------------------|
| Description              | BOHO Carpet Tile                                    |
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>bioloo</b> ™ Nylon                               |
| Dye Method               | Solution Dyed                                       |
| Face Weight              | 750 g/m² / 22 oz/yd²                                |
| Product Density          | 177300/m²                                           |
| Number of Colours        | 3 & 4 colours                                       |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 25 cm x 100 cm (9.8 in x 39.2 in)                   |
| Face Height              | 3.5 mm ±0.5 mm                                      |
| Total Product Height     | 7.0 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Ashlar, Quarter Turn or Herringbone                 |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 104 cm x 140 cm       |



**Boho 771**



**Boho 774**



**Boho 777**



**Boho 772**



**Boho 763**



**Boho 723**



**Boho 756**



# CASTLE ROCK

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 3 Colours

Installation Method



Quarter Turn



Brick

# CASTLE ROCK

COLOURPLAY



CASTLE ROCK  
100% LOOP  
100% SDN  
Extrusion  
850 g/m<sup>2</sup>  
177300/m<sup>2</sup> // 3 colours  
1/10"  
Non-Woven  
StableShield-100% Vinyl  
Recova Plus 500 & 800 (80-85% Recycled PET Bottles)  
50 cm x 50 cm (19.6" x 19.6")  
4.0 mm  
8.0 mm  
UV Treated Yarn & Walk Of Fame  
1.25 mm  
2500 (13.2 ft) Action Back / 60 cm x 61 cm

CASTLE ROCK 971

## Specifications

| Description              | CASTLE ROCK Carpet Tile                             |
|--------------------------|-----------------------------------------------------|
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>bioloop</b> ™ Nylon                              |
| Dye Method               | Solution Dyed                                       |
| Face Weight              | 850 g/m <sup>2</sup>                                |
| Product Density          | 177300/m <sup>2</sup>                               |
| Number of Colours        | 3 colours                                           |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 4.0 mm ±0.5 mm                                      |
| Total Product Height     | 8.0 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn or Brick                               |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 60 cm x 61 cm         |





Castle Rock 998




Castle Rock 974



Castle Rock 976



Castle Rock 975



Castle Rock 973




Castle Rock 956




Castle Rock 971



Castle Rock 972




Castle Rock 943



Castle Rock 948



Castle Rock 954



Castle Rock 940



# CHUNKY MONKEY

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 3 Colours / 2 Colours

Installation Method



Quarter Turn



Brick

# CHUNKY MONKEY

COLOURPLAY



Chunky Monkey


CHUNKY 875 - MONKEY 875

## Specifications



COLOURPLAY


| Description              | CHUNKY / MONKEY Carpet Tile                         |
|--------------------------|-----------------------------------------------------|
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>bioloop</b> ™ Nylon                              |
| Dye Method               | Solution Dyed                                       |
| Face Weight              | 850 g/m² / 25 oz/yd²   800 g/m² / 24 oz/yd²         |
| Product Density          | 165480/m²                                           |
| Number of Colours        | 3 Colours / 2 Colours                               |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 5.5 mm ±0.5 mm                                      |
| Total Product Height     | 8.5 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn or Brick                               |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 100 cm x 155 cm       |



Chunky 878




Chunky 848



Monkey 878



Monkey 848




Chunky 877



Chunky 849



Monkey 877



Monkey 849




Chunky 873



Chunky 875



Monkey 873



Monkey 875



Reception

# COZY

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 3 colours

Installation Method



Quarter Turn



Brick



Specifications




|                          |                                                     |
|--------------------------|-----------------------------------------------------|
| Description              | COZY Carpet Tile                                    |
| Product Face             | 100% Loop                                           |
| Fibre Composition        | bioloop™ Nylon                                      |
| Dye Method               | Solution Dyed                                       |
| Face Weight              | 760 g/m² / 22.4 oz/yd²                              |
| Product Density          | 177300/m²                                           |
| Number of Colours        | 3 Colours                                           |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 3.5 mm ±0.5 mm                                      |
| Total Product Height     | 7.0 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn or Brick                               |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 210 cm x 180 cm       |



**Cozy 798**



**Cozy 774**




**Cozy 772**




**Cozy 773**



**Cozy 740**




**Cozy 748**



**Cozy 743**



**Cozy 744**



**Cozy 751**




# CROSS WORTH

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 3 colours

Installation Method



Quarter Turn



Brick

# CROSS WORTH

COLOURPLAY




CROSS WORTH 872


## Specifications

| Description              | CROSS WORTH Carpet Tile                             |
|--------------------------|-----------------------------------------------------|
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>bioloop</b> ™ Nylon                              |
| Dye Method               | Solution Dyed                                       |
| Face Weight              | 760 g/m² / 22.4 oz/yd²                              |
| Product Density          | 177300/m²                                           |
| Number of Colours        | 3 colours                                           |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 3.5 mm ±0.5 mm                                      |
| Total Product Height     | 7.0 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn or Brick                               |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 92 cm x 100 cm        |







**Cross Worth 894**



**Cross Worth 893**




**Cross Worth 892**




**Cross Worth 879**




**Cross Worth 846**




**Cross Worth 872**




**Cross Worth 874**




**Cross Worth 878**




**Cross Worth 845**



**Cross Worth 870**



**Cross Worth 847**




**Cross Worth 858**



# MOVING

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 3 Colours

Installation Method



Quarter Turn



Brick

# MOVING

COLOURPLAY



MOVING 779

## Specifications



| Description              | Moving Carpet Tile                                  |
|--------------------------|-----------------------------------------------------|
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>bioloop</b> ™ Nylon                              |
| Dye Method               | Solution Dyed                                       |
| Face Weight              | 770 g/m²                                            |
| Product Density          | 177300/m²                                           |
| Number of Colours        | 3 colours                                           |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 3.5 mm ±0.5 mm                                      |
| Total Product Height     | 7.0 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn or Brick                               |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 61 cm x 116 cm        |



**Moving 794**



**Moving 793**




**Moving 792**



**Moving 779**



**Moving 774**




**Moving 758**



# PERSPECTIVES

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 3 colours

Installation Method



Quarter Turn



Brick

# PERSPECTIVES

COLOURPLAY



PERSPECTIVES 955


## Specifications

| Description              | PERSPECTIVES Carpet Tile                            |
|--------------------------|-----------------------------------------------------|
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>bioloop</b> ™ Nylon                              |
| Dye Method               | Solution Dyed                                       |
| Face Weight              | 760 g/m² / 22.4 oz/yd²                              |
| Product Density          | 177300/m²                                           |
| Number of Colours        | 3 Colours                                           |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 3.0 mm ±0.5 mm                                      |
| Total Product Height     | 7.0 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn or Brick                               |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 61 cm x 63 cm         |







Perspectives 955




Perspectives 971




Perspectives 979




Perspectives 974




Perspectives 975




Perspectives 972




Perspectives 980




Perspectives 958




Perspectives 970



Perspectives 977



Perspectives 973




Perspectives 954



# QUEST

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 3 colours

Installation Method



Quarter Turn




Brick




Specifications




| Description              | QUEST Carpet Tile                                   |
|--------------------------|-----------------------------------------------------|
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>bioloo</b> ™ Nylon                               |
| Dye Method               | Solution Dyed                                       |
| Face Weight              | 800 g/m² / 23.6 oz/yd²                              |
| Product Density          | 177300/m²                                           |
| Number of Colours        | 3 Colours                                           |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 3.0 mm ±0.5 mm                                      |
| Total Product Height     | 7.0 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn or Brick                               |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 61 cm x 93 cm         |




Quest 880



Quest 859




Quest 854




Quest 856



Quest 844




Quest 872




Quest 877




Quest 876




Quest 875




Quest 873



Quest 847



Quest 898




Quest 840



# RAW

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 2 colours

Installation Method



Quarter Turn




Brick




Specifications




|                          |                                                     |
|--------------------------|-----------------------------------------------------|
| Description              | RAW Carpet Tile                                     |
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>bioloop</b> ™ Nylon                              |
| Dye Method               | Solution Dyed                                       |
| Face Weight              | 800 g/m² / 23.6 oz/yd²                              |
| Product Density          | 252160/m²                                           |
| Number of Colours        | 2 Colours                                           |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 4.5 mm ±0.5 mm                                      |
| Total Product Height     | 7.5 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn or Brick                               |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 92 cm x 100 cm        |




Raw 8799




Raw 8788




Raw 8777




Raw 8755




Raw 8722




Raw 8655




Raw 8488




Raw 8477



Raw 8466



Raw 8455




Raw 8444



# THE OLD NEW

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 3 colours


Installation Method



Quarter Turn



Brick



Monolithic

# THE OLD NEW

COLOURPLAY



THE OLD NEW 7745

## Specifications

| Description              | THE OLD NEW Carpet Tile                             |
|--------------------------|-----------------------------------------------------|
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>bioloop</b> ™ SDN                                |
| Dye Method               | Extrusion                                           |
| Face Weight              | 790 g/m²                                            |
| Product Density          | 181240/m²                                           |
| Number of Colours        | 3 Colours                                           |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 3.5 mm ±0.5 mm                                      |
| Total Product Height     | 7.5 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn, Brick or Monolithic                   |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 103 cm x 92 cm        |




COLOURPLAY



7746



7794



7745



7772



7773



7770



7778



7750



# URBAN CRAZE

Colourplay Carpet Tile | SD Nylon | 50x50 cms | 3 colours

Installation Method



Quarter Turn

Brick

Ashlar

# URBAN CRAZE

COLOURPLAY




URBAN CRAZE 7994

## Specifications

| Description              | URBAN CRAZE Carpet Tile                             |
|--------------------------|-----------------------------------------------------|
| Product Face             | 100% Loop                                           |
| Fibre Composition        | <b>bioloop</b> ™ SDN                                |
| Dye Method               | Extrusion                                           |
| Face Weight              | 790 g/m²                                            |
| Product Density          | 181240/m²                                           |
| Number of Colours        | 3 Colours                                           |
| Equipment Gauge          | 1/10"                                               |
| Primary Backing          | Non-Woven                                           |
| Secondary Backing        | StableShield-100% Vinyl                             |
| Optional Backing         | Recova Plus 500 & 800 (80-85% Recycled PET Bottles) |
| Tile Size                | 50 cm x 50 cm (19.6" x 19.6")                       |
| Face Height              | 3.5 mm ±0.5 mm                                      |
| Total Product Height     | 7.5 mm ±0.5 mm                                      |
| Product Treatment        | UV Treated Yarn & Walk Of Fame                      |
| Recommended Installation | Quarter Turn, Brick or Ashlar                       |
| Available in Broadloom   | 4 mtr (13.2 ft) Action Back / 119 cm x 77 cm        |




COLOURPLAY




774




744



7994



790




7445




792




772




7773




7778



773



7770




7550



COLOURPLAY  
By Standard Carpets



**Standard Carpets Ind. LLC.**  
Dubai Industrial City, UAE  
Phone: +971 4 554 7137  
Email: [info@standardcarpets.com](mailto:info@standardcarpets.com)  
[www.standardcarpets.com](http://www.standardcarpets.com)



Made in UAE by  
**Standard Carpets**

An ISO 14001:2015, 50001:2018, 9001:2015, 45001:2018  
Certified Company.